

66489-049-7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) PATENT
Klaus STOECKL)
National Phase Appln.) GROUP:
Based Upon PCT/DE2003/003572) EXAMINER:
Filed: April 20, 2005) CUSTOMER NO.: 25269
BITE DEVICE USED WITH A) CONFIRMATION NO.:
PANORAMA X-RAY DEVICE

* * * * *

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

The inventor herewith submits copies of the documents identified in
the International Search Report, issued 31 March 2004, as well as another
document of interest.

Respectfully submitted,

DYKEMA GOSSETT PLLC

By:


Richard H. Tushin
Registration No. 27,297
Franklin Square, Third Floor West
1300 I Street, N.W.
Washington, DC 20005-3353
(202) 906-8680

INFORMATION DISCLOSURE CITATION
(Use several sheets if necessary)

Docket Number (Optional)

66489-049

Application Number

107531985
Unassigned

Applicant(s)

Klaus STOECKL

IC13 Rec'd PCT/PTO 20 APR 2005

Filing Date

April 20, 2005

Group Art Unit

Unassigned

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	AA	4,176,278	11/1979	Cushman			
	AB	6,118,842	09/2000	Arai et al.			
	AC	6,190,042	02/2001	Dove et al.			
	AD	6,424,694	07/2002	Molteni et al.			

U.S. PATENT APPLICATION PUBLICATIONS

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
							YES	NO
	AE	02/086619	10/2002	WO			✓	

OTHER DOCUMENTS

(Including Author, Title, Date, Pertinent Pages, Etc.)

	AF	DE3609260 - Unofficial English Abstract - Dental X-ray diagnosis unit for the preparation of pantomographs of the jaw of a patient.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.